STABILUS

# SAFETY DATA SHEET based on (EG) Nr. 1907/2006

Rev.: 02 Trade name: LIFT-O-MAT printed at: 09.01.2017 last revision of: 09.01.2013 Datasheet Code: LOM\_ENDE01G page 1 of 4

	1 0
SECTION 1: Identification of the substance/ mixture and of the company/undertaking	Nitrogen not applicable not applicable
1.1 Product identifier	SECTION 4: First aid measures
085154	<b>4.1. Description of first aid measures</b> <b>General information:</b> Prolonged contact with the skin can cause dehydration
1.2. Relevant identified uses of the substance or mixture and uses advised against	and irritation.
- 1.3. Details of the supplier of the safety data sheet	After inhalation: Fresh air! - If complaints persist, consult doctor.
Address of manufacturer / supplier Stabilus GmbH Wallersheimer Weg 100 D-56070 Koblenz	After skin contact: Rinse with water and soap. Intensive skin care required.
Tel. xx49/261/8900-0 Responsible for the safety data sheet:	After contact with the eyes: Immediately rinse with plenty of water (15mins.) and consult doctor.
sds@gbk-ingelheim.de Information giving division (application engineering): (xx49/261/8900-775) Mr. F.Milles Dpt. SDS	After swallowing: Do not induce vomitting. Consult doctor.
<b>1.4 Emergency enquiry</b> / Emergency Number.:24h-Hotline(xx49/6132/84463) (GBK Gefahrgut Buero GmbH, Ingelheim)	Information for the doctor: 4.2. Most important symptoms and effects, both acute and delayed
<b>Further Information</b> The following information refers to mineral oil.	No data available. <b>4.3. Indication of any immediate medical attention and</b> <b>special treatment needed</b>
SECTION 2: Hazards identification	Treat symptoms.
<b>2.1. Classification of the substance or mixture</b> This mixture is not classified as dangerous according to Directive 1999/45/EC.	SECTION 5: Firefighting measures
<b>2.2. Label elements</b> <b>Additional advice on labelling</b> The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.	<b>5.1. Extinguishing media</b> Suitable fire-extinguishing media: Fire-extinguishing devices to be adjusted to ambient fires.
<b>2.3. Other hazards</b> Frequent persistent contact with the skin may cause skin irritation.	Extinguishing media which must not be used for safety reasons Full water jet.
Do not flush into surface water or sanitary sewer system.	5.2. Special hazards arising from the substance or mixture
SECTION 3: Composition/information on ingredients	Heating will cause pressure rise with risk of bursting.  Additional information
3.1. Mixtures	Cool containers at risk with water spray jet.
Chemical Characterisation of the content	SECTION 6: Accidental release measures

Chem. name Hazard Symbol H-Sets Mineral oil not applicable not applicable

6.1. Personal precautions, protective equipment and emergency procedures

# STABILUS

## SAFETY DATA SHEET based on (EG) Nr. 1907/2006

# Rev.: 02 Trade name: **LIFT-O-MAT**

Avoid skin contact.

Immediately exchange contaminated workclothes.

# 6.2. Environmental precautions

Avoid to get the mineral oil into the sewage system or surface water.

6.3. Methods and material for containment and cleaning up

Take up mineral oil with oil-binding material and dispose soaked material according to the regulations.

6.4. Reference to other sections

Information for disposal look up chapter 13.

# **SECTION 7: Handling and storage**

**7.1 Advice on safe handling Precautions for safe handling** No special precautions required.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Protect from heat and direct solar radiation.

**7.3. Specific end use(s)** No data available.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

8.2. Exposure controls

**Occupational exposure controls** Do not inhale gases/vapours/aerosols.

**Protective and hygiene measures** Cloths contaminated with product should not be kept in trouser pockets.

# **Respiratory protection**

Breathing apparatus in the event of aerosol or mist formation.

## Hand protection

Glove material must be impermeable and resistant against product / substance / preparation. Gloves material should comply with breakthrough times, permeation rates, and degradation.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

## Eye protection

Protective goggles in the event of risk of splashes.

Skin protection:

printed at: 09.01.2017 last revision of: 09.01.2013 Datasheet Code: LOM\_ENDE01G page 2 of 4

only in case of prolonged skin contact.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Form: Colour: Odour: Changes in the physical state Boiling point: Flashpoint: Vapour density at 20 °C: Density: Solubility: kin. Viscosity: liquid various like mineral oil > 240 ℃ > 120 ℃ ISO 2592 max. 1mbar ca. 0,80 – 0,95 g/cm<sup>3</sup> pract. unsoluble ca. 10 – 80 mm<sup>2</sup>/s

**9.2. Other information** No data available.

# **SECTION 10: Stability and reactivity**

10.1. ReactivityNo data available.10.2. Chemical stabilityNo data available.

**10.3. Possibility of hazardous reactions** No data available.

**10.4. Conditions to avoid** No data available.

**10.5. Incompatible materials** No data available.

**10.6. Hazardous decomposition products** No decomposition if stored and applied as directed.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects Acute toxicity

LD50, oral rats:	> 2000 mg/kg
LD50, dermal rabbits:	> 3000 mg/kg

## Specific effects in experiment on an animal

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. **Further information** 

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.



SAFETY DATA SHEET based on (EG) Nr. 1907/2006	printed at: 09.01.2017 last revision of: 09.01.2013
Rev.: 02 Trade name: LIFT-O-MAT	Datasheet Code: LOM_ENDE01G page 3 of 4
SECTION 12: Ecological information	non-flammable gas) 14.3 Transport hazard class(es: 2.2
<b>12.1. Toxicity</b> No data available.	14.4 Packing group: Hazard label: 2.2
<b>12.2. Persistence and degradability</b> No data available.	
<b>12.3. Bioaccumulative potential</b> No data available.	Marine pollutant: - LQ: 120 ml
<b>12.4. Mobility in soil</b> No data available.	EmS: F-C, S-V
<b>12.5. Results of PBT and vPvB assessment</b> No data available.	Air transport 14.1 UN-Number: 3164 14.2 UN proper shipping name:
<b>12.6. Other adverse effects</b> No data available.	ARTICLES, PRESSURIZED, PNEUMATIC (containing non-flammable gas)
Further information Hazardous water pollutant. Do not flush into surface water or sanitary sewer system.	14.3 Transport hazard class(es: 2.2 Hazard label: 2.2
SECTION 13: Disposal considerations	
<b>13.1. Waste treatment methods</b> <b>Advice on disposal</b> pressurized devices must be deaerated before disposal. Adhere to the waste disposal provisions in force! Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations.	LQ Passenger: - IATA- packing instructions Passenger: 208 IATA- max. quantity Passenger: free IATA-packing instructions Cargo: 208
Waste disposal number of waste from residues/unused products 130110 OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils Classified as hazardous waste.	IATA- max. quantity Cargo: free 14.5. Environmental hazards Dangerous for the environment: no 14.6. Special precautions for user No specific precautions required.
SECTION 14: Transport information	<b>14.7. Transport in bulk according to Annex II of</b> <b>MARPOL73/78 and the IBC Code</b> The transport takes place only in approved and appropriate
Landtransport (ADR/ RID)	packaging.
<b>Other applicable information (land transport)</b> UN 3164: Special provision:: 594 (Not dangerous according the ADR/RID.)	
Marine transport	
14.1 UN-Number: 3164 14.2 UN proper shipping name: ARTICLES, PRESSURIZED, PNEUMATIC (containing	SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# STABILUS

## SAFETY DATA SHEET based on (EG) Nr. 1907/2006

# Rev.: 02 Trade name: LIFT-O-MAT

## EU regulatory information

1999/13/EC (VOC): 0 %

### National regulatory information

Water contaminating class (D): 2 - water contaminating

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

Changes in chapter: 2, 3, 10, 12, 15

### Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the

corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

printed at: 09.01.2017 last revision of: 09.01.2013 Datasheet Code: LOM\_ENDE01G page 4 of 4