

SAFETY DATA SHEET based on (EG) Nr. 1907/2006

Hazard Symbol

not applicable

H-Sets

not applicable

Chem. name

Mineral oil

Rev.: 02 Trade name: LIFT-O-MAT printed at: 05.03.2013 last revision of: 09.01.2013 Datasheet Code: LOM_ENDE01G_oI

page 1 of 4

| SECTION 1: Identification of the substance/ mixture and of the company/undertaking | Nitrogen not applicable not applicable |
|--|---|
| 1.1 Product identifier | SECTION 4: First aid measures |
| 4736BC | 4.1. Description of first aid measures General information: |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against | Prolonged contact with the skin can cause dehydration and irritation. |
| - | After inhalation: Fresh air! - If complaints persist, consult doctor. |
| 1.3. Details of the supplier of the safety data sheet | |
| Address of manufacturer / supplier Stabilus GmbH | After skin contact: |
| Wallersheimer Weg 100 D-56070 Koblenz | Rinse with water and soap. Intensive skin care required. |
| Tel. xx49/261/8900-0 | After contact with the eyes: |
| Responsible for the safety data sheet: sds@gbk-ingelheim.de | Immediately rinse with plenty of water (15mins.) and consult doctor. |
| | After swallowing: |
| Information giving division (application engineering): (xx49/261/8900-469) Mr. Lellmann Dpt. SBIGM | Do not induce vomitting. Consult doctor. |
| 1.4 Emergency enquiry / Emergency Number.: | Information for the doctor: |
| 24h-Hotline (xx49/6132/84463) | 4.2. Most important symptoms and effects, both acute |
| (GBK Gefahrgut Buero GmbH, Ingelheim) | and delayed No data available. |
| Further Information | |
| The following information refers to mineral oil. | 4.3. Indication of any immediate medical attention and special treatment needed |
| SECTION 2: Hazards identification | Treat symptoms. |
| 2.1. Classification of the substance or mixture | |
| This mixture is not classified as dangerous according to Directive 1999/45/EC. | SECTION 5: Firefighting measures |
| 2.2. Label elements | 5.1. Extinguishing media Suitable fire-extinguishing media: |
| Additional advice on labelling | Fire-extinguishing devices to be adjusted to ambient |
| The product does not require a hazard warning label in accordance with EC directives/the relevant national laws. | fires. |
| 2.3. Other hazards | Extinguishing media which must not be used for safety |
| Frequent persistent contact with the skin may cause skin | Full water jet. |
| irritation. Do not flush into surface water or sanitary sewer system. | 5.2. Special hazards arising from the substance or |
| | mixture Heating will cause pressure rise with risk of bursting. |
| SECTION 3: Composition/information on ingredients | Additional information |
| 3.1. Mixtures | Cool containers at risk with water spray jet. |
| Chemical Characterisation of the content | SECTION 6: Accidental release measures |
| | |

6.1. Personal precautions, protective equipment and emergency procedures

STABILUS

SAFETY DATA SHEET based on (EG) Nr. 1907/2006

Rev.: 02 Trade name: **LIFT-O-MAT**

Avoid skin contact.

Immediately exchange contaminated workclothes.

6.2. Environmental precautions

Avoid to get the mineral oil into the sewage system or surface water.

6.3. Methods and material for containment and cleaning up

Take up mineral oil with oil-binding material and dispose soaked material according to the regulations.

6.4. Reference to other sections Information for disposal look up chapter 13.

SECTION 7: Handling and storage

7.1 Advice on safe handling Precautions for safe handling No special precautions required.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Protect from heat and direct solar radiation.

7.3. Specific end use(s) No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls Occupational exposure controls Do not inhale gases/vapours/aerosols.

Protective and hygiene measures Cloths contaminated with product should not be kept in trouser pockets.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Hand protection

Glove material must be impermeable and resistant against product / substance / preparation. Gloves material should comply with breakthrough times, permeation rates, and degradation.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Eye protection

Protective goggles in the event of risk of splashes.

Skin protection: only in case of prolonged skin contact.

printed at: 05.03.2013 last revision of: 09.01.2013 Datasheet Code: LOM_ENDE01G_ol

page 2 of 4

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form: Colour: Odour: Changes in the physical state Boiling point: Flashpoint: Vapour density at 20 °C: Density: Solubility: kin. Viscosity: liquid various like mineral oil \sim Test method > 240 °C > 120 °C ISO 2592 max. 1mbar ca. 0,80 - 0,95 g/cm³ pract. unsoluble ca. 10 - 80 mm²/s

9.2. Other information No data available.

SECTION 10: Stability and reactivity

10.1. ReactivityNo data available.10.2. Chemical stabilityNo data available.

10.3. Possibility of hazardous reactions No data available.

10.4. Conditions to avoid No data available.

10.5. Incompatible materials No data available.

10.6. Hazardous decomposition products No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effectsAcute toxicityLD50, oral rats:> 2000 mg/k

| LD50, oral rats: | > 2000 mg/kg |
|-----------------------|--------------|
| LD50, dermal rabbits: | > 3000 mg/kg |
| | |

Specific effects in experiment on an animal

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. **Further information**

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.



SAFETY DATA SHEET based on (EG) Nr. 1907/2006

Rev.: 02 Trade name: LIFT-O-MAT printed at: 05.03.2013 last revision of: 09.01.2013 Datasheet Code: LOM_ENDE01G_oI

| SECTION 12: Ecological information | 14.3 Transport hazard class(es: 2.2 14.4 Packing group: |
|--|---|
| 12.1. Toxicity No data available. | Hazard label: 2.2 |
| 12.2. Persistence and degradability No data available. | |
| 12.3. Bioaccumulative potential No data available. | Marine pollutant: - LQ: 120 ml EmS: F-C, S-V |
| 12.4. Mobility in soil No data available. | Air Transport (ICAO/IATA) |
| 12.5. Results of PBT and vPvB assessment No data available. | According IATA-DGR (PI 208) Air-Transportation is not permitted. |
| 12.6. Other adverse effects No data available. | 14.5. Environmental hazards |
| Further information | Dangerous for the environment: no |
| Hazardous water pollutant. Do not flush into surface water or sanitary sewer system. | 14.6. Special precautions for user No specific precautions required. |
| SECTION 13: Disposal considerations | 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code |
| 13.1. Waste treatment methods Advice on disposal pressurized devices must be deaerated before disposal. Adhere to the waste disposal provisions in force! Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations. | The transport takes place only in approved and appropriate packaging. SECTION 15: Regulatory information |
| Waste disposal number of waste from residues/unused products 130110 OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils | 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information 1999/13/EC (VOC): 0 % |
| Classified as hazardous waste. | National regulatory information Water contaminating class (D): 2 - water contaminating |
| SECTION 14: Transport information | 15.2. Chemical Safety Assessment Chemical safety assessments for substances in this mixture |
| Landtransport (ADR/ RID) | were not carried out. |
| Other applicable information (land transport) UN 3164: Special provision:: 594 (Not dangerous according | SECTION 16: Other information |
| the ADR/RID.) Marine transport | Changes Changes in chapter: 2, 3, 10, 12, 15 |
| 14.1 UN-Number: 3164 14.2 UN proper shipping name: ARTICLES, PRESSURIZED, PNEUMATIC (containing non-flammable gas) | Further Information Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. |

STABILUS

SAFETY DATA SHEET based on (EG) Nr. 1907/2006

Rev.: 02 Trade name: LIFT-O-MAT

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

printed at: 05.03.2013 last revision of: 09.01.2013 Datasheet Code: LOM_ENDE01G_ol page 4 of 4